


[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide

server transmit data table number columns exceed threshold

SEARCH

THE ACM DIGITAL LIBRARY


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Terms used

server transmit data table number columns exceed threshold

Found 88,172 of 171,143

Sort results by

relevance


[Save results to a Binder](#)
[Try an Advanced Search](#)
[Try this search in The ACM Guide](#)

Display results

expanded form


[Search Tips](#)
☐ Open results in a new window

Results 1 - 20 of 200

 Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

 Relevance scale ☐ ☐ ☐ ☐ ☐

1 [Power reduction techniques for microprocessor systems](#)



Vasanth Venkatachalam, Michael Franz

 September 2005 **ACM Computing Surveys (CSUR)**, Volume 37 Issue 3

Publisher: ACM Press

 Full text available: pdf(602.33 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Power consumption is a major factor that limits the performance of computers. We survey the "state of the art" in techniques that reduce the total power consumed by a microprocessor system over time. These techniques are applied at various levels ranging from circuits to architectures, architectures to system software, and system software to applications. They also include holistic approaches that will become more important over the next decade. We conclude that power management is a ...

Keywords: Energy dissipation, power reduction

2 [Improving end-to-end performance of the Web using server volumes and proxy filters](#)



Edith Cohen, Balachander Krishnamurthy, Jennifer Rexford

 October 1998 **ACM SIGCOMM Computer Communication Review , Proceedings of the ACM SIGCOMM '98 conference on Applications, technologies, architectures, and protocols for computer communication SIGCOMM '98**, Volume 28 Issue 4

Publisher: ACM Press

 Full text available: pdf(1.79 MB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

The rapid growth of the World Wide Web has caused serious performance degradation on the Internet. This paper offers an end-to-end approach to improving Web performance by collectively examining the Web components --- clients, proxies, servers, and the network. Our goal is to reduce user-perceived latency and the number of TCP connections, improve cache coherency and cache replacement, and enable prefetching of resources that are likely to be accessed in the near future. In our scheme, server re ...

Keywords: Web, caching, coherency, filters, piggybacking, prefetching, volumes

3

[Fast detection of communication patterns in distributed executions](#)

Thomas Kunz, Michiel F. H. Seuren

November 1997 **Proceedings of the 1997 conference of the Centre for Advanced Studies on Collaborative research**

Publisher: IBM Press

Full text available:  [pdf\(4.21 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Understanding distributed applications is a tedious and difficult task. Visualizations based on process-time diagrams are often used to obtain a better understanding of the execution of the application. The visualization tool we use is Poet, an event tracer developed at the University of Waterloo. However, these diagrams are often very complex and do not provide the user with the desired overview of the application. In our experience, such tools display repeated occurrences of non-trivial commun ...


4 [Methods for information server selection](#)



David Hawking, Paul Thistlewaite

January 1999 **ACM Transactions on Information Systems (TOIS)**, Volume 17 Issue 1

Publisher: ACM Press

Full text available:  [pdf\(283.76 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

The problem of using a broker to select a subset of available information servers in order to achieve a good trade-off between document retrieval effectiveness and cost is addressed. Server selection methods which are capable of operating in the absence of global information, and where servers have no knowledge of brokers, are investigated. A novel method using Lightweight Probe queries (LWP method) is compared with several methods based on data from past query processing, while Random and ...

Keywords: Lightweight Probe queries, information servers, network servers, server ranking, server selection, text retrieval

5 [Downlink scheduling in CDMA data networks](#)



Niranjan Joshi, Srinivas R. Kadaba, Sarvar Patel, Ganapathy S. Sundaram

August 2000 **Proceedings of the 6th annual international conference on Mobile computing and networking**

Publisher: ACM Press

Full text available:  [pdf\(1.24 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Packet data is expected to dominate third generation wireless networks, unlike current generation voice networks. This opens up new and interesting problems. Physical and link layer issues have been studied extensively, while resource allocation and scheduling issues have not been addressed satisfactorily. In this work, we address resource management on the downlink of CDMA packet data networks. Network performance (for example, capacity) has been addressed, but user centric perfo ...

6 [Column: A case for context-aware TCP/IP](#)



Carey Williamson, Qian Wu

March 2002 **ACM SIGMETRICS Performance Evaluation Review**, Volume 29 Issue 4

Publisher: ACM Press

Full text available:  [pdf\(1.55 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#)

This paper discusses the design and evaluation of CATNIP, a Context-Aware Transport/Network Internet Protocol for the Web. This integrated protocol uses application-layer knowledge (i.e., Web document size) to provide explicit context information to the TCP and IP protocols. While this approach violates the traditional layered Internet protocol architecture, it enables informed decision-making, both at

network endpoints and at network routers, regarding flow control, congestion control, and pack ...

Keywords: TCP/IP, internet protocols, network emulation, network simulation, web performance

7 Process migration



September 2000 **ACM Computing Surveys (CSUR)**, Volume 32 Issue 3

Publisher: ACM Press

Full text available: [pdf\(1.24 MB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

Process migration is the act of transferring a process between two machines. It enables dynamic load distribution, fault resilience, eased system administration, and data access locality. Despite these goals and ongoing research efforts, migration has not achieved widespread use. With the increasing deployment of distributed systems in general, and distributed operating systems in particular, process migration is again receiving more attention in both research and product development. As hi ...

Keywords: distributed operating systems, distributed systems, load distribution, process migration

8 Link and channel measurement: A simple mechanism for capturing and replaying wireless channels



Glenn Judd, Peter Steenkiste

August 2005 **Proceeding of the 2005 ACM SIGCOMM workshop on Experimental approaches to wireless network design and analysis E-WIND '05**

Publisher: ACM Press

Full text available: [pdf\(6.06 MB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Physical layer wireless network emulation has the potential to be a powerful experimental tool. An important challenge in physical emulation, and traditional simulation, is to accurately model the wireless channel. In this paper we examine the possibility of using on-card signal strength measurements to capture wireless channel traces. A key advantage of this approach is the simplicity and ubiquity with which these measurements can be obtained since virtually all wireless devices provide the req ...

Keywords: channel capture, emulation, wireless

9 GPGPU: general purpose computation on graphics hardware



David Luebke, Mark Harris, Jens Krüger, Tim Purcell, Naga Govindaraju, Ian Buck, Cliff Woolley, Aaron Lefohn

August 2004 **Proceedings of the conference on SIGGRAPH 2004 course notes GRAPH '04**

Publisher: ACM Press

Full text available: [pdf\(63.03 MB\)](#)

Additional Information: [full citation](#), [abstract](#)

The graphics processor (GPU) on today's commodity video cards has evolved into an extremely powerful and flexible processor. The latest graphics architectures provide tremendous memory bandwidth and computational horsepower, with fully programmable vertex and pixel processing units that support vector operations up to full IEEE floating point precision. High level languages have emerged for graphics hardware, making this computational power accessible. Architecturally, GPUs are highly parallel s ...

10 Scalable and fault-tolerant support for variable bit-rate data in the exedra streaming server



Stergios V. Anastasiadis, Kenneth C. Sevcik, Michael Stumm
November 2005 **ACM Transactions on Storage (TOS)**, Volume 1 Issue 4

Publisher: ACM Press

Full text available: pdf(1.01 MB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

We describe the design and implementation of the Exedra continuous media server, and experimentally evaluate alternative resource management policies using a prototype system that we built. Exedra has been designed to provide scalable and efficient support for variable bit-rate media streams whose compression efficiency leads to reduced storage space and bandwidth requirements in comparison to constant bit-rate streams of equivalent quality. We examine alternative disk striping policies, and qua ...

Keywords: Content distribution, multimedia compression

11 Rethinking the TCP Nagle algorithm



J. C. Mogul, G. Minshall
January 2001 **ACM SIGCOMM Computer Communication Review**, Volume 31 Issue 1

Publisher: ACM Press

Full text available: pdf(1.65 MB) Additional Information: [full citation](#), [abstract](#), [index terms](#)

Modern TCP implementations include a mechanism, known as the Nagle algorithm, which prevents the unnecessary transmission of a large number of small packets. This algorithm has proved useful in protecting the Internet against excessive packet loads. However, many applications suffer performance problems as a result of the traditional implementation of the Nagle algorithm. An interaction between the Nagle algorithm and TCP's delayed acknowledgement policy can create an especially severe pro ...

12 Research session: query optimization and summarization: REED: robust, efficient filtering and event detection in sensor networks

Daniel J. Abadi, Samuel Madden, Wolfgang Lindner
August 2005 **Proceedings of the 31st international conference on Very large data bases VLDB '05**

Publisher: VLDB Endowment

Full text available: pdf(286.61 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

This paper presents a set of algorithms for efficiently evaluating join queries over static data tables in sensor networks. We describe and evaluate three algorithms that take advantage of distributed join techniques. Our algorithms are capable of running in limited amounts of RAM, can distribute the storage burden over groups of nodes, and are tolerant to dropped packets and node failures. REED is thus suitable for a wide range of event-detection applications that traditional sensor network dat ...

13 TinyDB: an acquisitional query processing system for sensor networks



Samuel R. Madden, Michael J. Franklin, Joseph M. Hellerstein, Wei Hong
March 2005 **ACM Transactions on Database Systems (TODS)**, Volume 30 Issue 1

Publisher: ACM Press

Full text available: pdf(1.67 MB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

We discuss the design of an acquisitional query processor for data collection in sensor networks. Acquisitional issues are those that pertain to where, when, and how often data is physically acquired (*sampled*) and delivered to query processing operators. By focusing on the locations and costs of acquiring data, we are able to significantly reduce power consumption over traditional passive systems that assume the a priori existence of data.

We discuss simple extensions to SQL for controlli ...

Keywords: Query processing, data acquisition, sensor networks

14 Attacking passwords and bringing down the network: Misbehaving TCP receivers can cause internet-wide congestion collapse



Rob Sherwood, Bobby Bhattacharjee, Ryan Braud

November 2005 **Proceedings of the 12th ACM conference on Computer and communications security CCS '05**

Publisher: ACM Press

Full text available: pdf(258.05 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

An *optimistic* acknowledgment (opt-ack) is an acknowledgment sent by a misbehaving client for a data segment that it has not received. Whereas previous work has focused on opt-ack as a means to greedily improve end-to-end performance, we study opt-ack exclusively as a denial of service attack. Specifically, an attacker sends optimistic acknowledgments to many victims in parallel, thereby amplifying its effective bandwidth by a factor of 30 million (worst case). Thus, even a relatively mode ...

Keywords: congestion control, distributed denial of service

15 Memory systems: Reducing energy consumption of queries in memory-resident database systems



Jayaprakash Pisharath, Alok Choudhary, Mahmut Kandemir

September 2004 **Proceedings of the 2004 international conference on Compilers, architecture, and synthesis for embedded systems**

Publisher: ACM Press

Full text available: pdf(177.88 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

The tremendous growth of system memories has increased the capacities and capabilities of memory-resident embedded databases, yet current embedded databases need to be tuned in order to take advantage of new memory technologies. In this paper, we study the implications of hosting memory resident databases, and propose hardware and software (query-driven) techniques to improve their performance and energy consumption. We exploit the structured organization of memories, which enables a selective m ...

Keywords: DRAM, database, energy, hardware schemes, layouts, mapping, power consumption, query optimization, query-directed energy management

16 Shared memory computing on clusters with symmetric multiprocessors and system area networks



Leonidas Kontothanassis, Robert Stets, Galen Hunt, Umit Rencuzogullari, Gautam Altekar, Sandhya Dwarkadas, Michael L. Scott

August 2005 **ACM Transactions on Computer Systems (TOCS)**, Volume 23 Issue 3

Publisher: ACM Press

Full text available: pdf(918.28 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Cashmere is a software distributed shared memory (S-DSM) system designed for clusters of server-class machines. It is distinguished from most other S-DSM projects by (1) the effective use of fast user-level messaging, as provided by modern system-area networks, and (2) a "two-level" protocol structure that exploits hardware coherence within multiprocessor nodes. Fast user-level messages change the tradeoffs in coherence protocol design; they allow Cashmere to employ a relatively simp ...

Keywords: Distributed shared memory, relaxed consistency, software coherence

17 DHTTP: an efficient and cache-friendly transfer protocol for the web

Michael Rabinovich, Hua Wang

December 2004 **IEEE/ACM Transactions on Networking (TON)**, Volume 12 Issue 6

Publisher: IEEE Press

Full text available:  [pdf\(487.71 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Today's HTTP carries Web interactions over client-initiated TCP connections. An important implication of using this transport method is that interception caches in the network violate the end-to-end principle of the Internet, which severely limits deployment options of these caches. Furthermore, while an increasing number of Web interactions are short, and in fact frequently carry only control information and no data, TCP is often inefficient for short interactions. We propose a new transfer protocol ...

Keywords: HTTP protocol, interception caching, internet, web performance

18 Performance: On estimating end-to-end network path properties



Mark Allman, Vern Paxson

April 2001 **ACM SIGCOMM Computer Communication Review**, Volume 31 Issue 2 supplement

Publisher: ACM Press

Full text available:  [pdf\(3.07 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#)

The more information about current network conditions available to a transport protocol, the more efficiently it can use the network to transfer its data. In networks such as the Internet, the transport protocol must often form its own estimates of network properties based on measurements performed by the connection endpoints. We consider two basic transport estimation problems: determining the setting of the retransmission timer (RTO) for a reliable protocol, and estimating the bandwidth available ...

19 End-to-end internet packet dynamics

Vern Paxson

June 1999 **IEEE/ACM Transactions on Networking (TON)**, Volume 7 Issue 3

Publisher: IEEE Press

Full text available:  [pdf\(194.20 KB\)](#) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

Keywords: computer network performance, computer network reliability, computer networks, failure analysis, internet-working, stability

20 Automating parallel simulation using parallel time streams



Victor Yau

April 1999 **ACM Transactions on Modeling and Computer Simulation (TOMACS)**, Volume 9 Issue 2

Publisher: ACM Press

Full text available:  [pdf\(194.69 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

This paper describes a package for parallel steady-state stochastic simulation that was designed to overcome problems caused by long simulation times experienced in our ongoing research in performance evaluation of high-speed and integrated-services communication networks, while maintaining basic statistical rigors of proper analysis of simulation output data. The package, named AKAROA, accepts ordinary (nonparallel)

simulation programs, and all further stages of stochastic simulation shou ...

Keywords: distributed simulation, interprocess communication, output analysis methodology, parallel processing, parallel simulation, parallel time streams, spectral analysis, speedup

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2006 ACM, Inc.
[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)


[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide

server send transmit data table number columns field size exc



THE ACM DIGITAL LIBRARY


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Terms used

server send transmit data table number columns field size exceed threshold

Found 86,383 of 171,143

Sort results by

relevance


[Save results to a Binder](#)
[Try an Advanced Search](#)
[Try this search in The ACM Guide](#)

Display results

expanded form


[Search Tips](#)
☐ Open results in a new window

Results 1 - 20 of 200

 Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

 Relevance scale ☐ ☐ ☐ ☐ ☐

1 [Fast detection of communication patterns in distributed executions](#)

Thomas Kunz, Michiel F. H. Seuren

 November 1997 **Proceedings of the 1997 conference of the Centre for Advanced Studies on Collaborative research**

Publisher: IBM Press

 Full text available: [pdf\(4.21 MB\)](#)

 Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Understanding distributed applications is a tedious and difficult task. Visualizations based on process-time diagrams are often used to obtain a better understanding of the execution of the application. The visualization tool we use is Poet, an event tracer developed at the University of Waterloo. However, these diagrams are often very complex and do not provide the user with the desired overview of the application. In our experience, such tools display repeated occurrences of non-trivial commun ...

2 [Improving end-to-end performance of the Web using server volumes and proxy filters](#)

Edith Cohen, Balachander Krishnamurthy, Jennifer Rexford

 October 1998 **ACM SIGCOMM Computer Communication Review , Proceedings of the ACM SIGCOMM '98 conference on Applications, technologies, architectures, and protocols for computer communication SIGCOMM '98**, Volume 28 Issue 4

Publisher: ACM Press

 Full text available: [pdf\(1.79 MB\)](#)

 Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

The rapid growth of the World Wide Web has caused serious performance degradation on the Internet. This paper offers an end-to-end approach to improving Web performance by collectively examining the Web components --- clients, proxies, servers, and the network. Our goal is to reduce user-perceived latency and the number of TCP connections, improve cache coherency and cache replacement, and enable prefetching of resources that are likely to be accessed in the near future. In our scheme, server re ...

Keywords: Web, caching, coherency, filters, piggybacking, prefetching, volumes

3 [GPGPU: general purpose computation on graphics hardware](#)

David Luebke, Mark Harris, Jens Krüger, Tim Purcell, Naga Govindaraju, Ian Buck, Cliff Woolley, Aaron Lefohn

 August 2004 **Proceedings of the conference on SIGGRAPH 2004 course notes GRAPH**


[Subscribe](#) (Full Service) [Register](#) (Limited Service, Free) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide

THE ACM DIGITAL LIBRARY


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

 Terms used [server send transmit data table disassemble row](#)

Found 55,394 of 171,143

Sort results by

☒ [Save results to a Binder](#)

 Try an [Advanced Search](#)

Display results

☒ [Search Tips](#)

 Try this search in [The ACM Guide](#)
☐ Open results in a new window

Results 1 - 20 of 200

 Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

 Relevance scale ☐ ☐ ☐ ☐ ☐

1 [Distributed operating systems](#)



Andrew S. Tanenbaum, Robbert Van Renesse

 December 1985 **ACM Computing Surveys (CSUR)**, Volume 17 Issue 4

Publisher: ACM Press

 Full text available: [pdf\(5.49 MB\)](#)

 Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

Distributed operating systems have many aspects in common with centralized ones, but they also differ in certain ways. This paper is intended as an introduction to distributed operating systems, and especially to current university research about them. After a discussion of what constitutes a distributed operating system and how it is distinguished from a computer network, various key design issues are discussed. Then several examples of current research projects are examined in some detail ...

2 [Special session on reconfigurable computing: Adaptive architectures for an OTN processor: reducing design costs through reconfigurability and multiprocessing](#)



Tudor Murgan, Mihail Petrov, Mateusz Majer, Peter Zipf, Manfred Glesner, Ulrich Heinkel, Joerg Pleickhardt, Bernd Bleisteiner

 April 2004 **Proceedings of the 1st conference on Computing frontiers**

Publisher: ACM Press

 Full text available: [pdf\(1.01 MB\)](#)

 Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

The standardisation process of Optical Transport Networks generally spans a long period of time. For providers intending to be present early on the market, this implies costly design re-spins if the wrong "flavour" of the protocol standard has been implemented. Extending a protocol processing device through application specific reconfigurable elements or multiprocessor units augment its flexibility. Thus, the architecture can be upgraded to standard updates or changes not even considered at desi ...

Keywords: ITU-T G.709, multiprocessor and reconfigurable architectures, optical transport networks, standard upgrades

3 [The internet worm program: an analysis](#)



Eugene H. Spafford

 January 1989 **ACM SIGCOMM Computer Communication Review**, Volume 19 Issue 1

Publisher: ACM Press


[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide

THE ACM DIGITAL LIBRARY


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Terms used

server send transmit data table disassemble row inform client machine device storage format

 Found
60,797 of
171,143

 Sort results
by

☒ [Save results to a Binder](#)
[Try an Advanced Search](#)

 Display
results

☒ [Search Tips](#)
[Try this search in The ACM Guide](#)
☐ [Open results in a new window](#)

Results 1 - 20 of 200

 Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

 Relevance scale ☐ ☐ ☐ ☐ ☐

1 [Distributed operating systems](#)



Andrew S. Tanenbaum, Robbert Van Renesse

 December 1985 **ACM Computing Surveys (CSUR)**, Volume 17 Issue 4

Publisher: ACM Press

 Full text available: [pdf\(5.49 MB\)](#)

 Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

Distributed operating systems have many aspects in common with centralized ones, but they also differ in certain ways. This paper is intended as an introduction to distributed operating systems, and especially to current university research about them. After a discussion of what constitutes a distributed operating system and how it is distinguished from a computer network, various key design issues are discussed. Then several examples of current research projects are examined in some detail ...

2 [Fast detection of communication patterns in distributed executions](#)

Thomas Kunz, Michiel F. H. Seuren

 November 1997 **Proceedings of the 1997 conference of the Centre for Advanced Studies on Collaborative research**
Publisher: IBM Press

 Full text available: [pdf\(4.21 MB\)](#)

 Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Understanding distributed applications is a tedious and difficult task. Visualizations based on process-time diagrams are often used to obtain a better understanding of the execution of the application. The visualization tool we use is Poet, an event tracer developed at the University of Waterloo. However, these diagrams are often very complex and do not provide the user with the desired overview of the application. In our experience, such tools display repeated occurrences of non-trivial commun ...

3 [A composable framework for secure multi-modal access to internet services from Post-PC devices](#)

Steven J. Ross, Jason L. Hill, Michael Y. Chen, Anthony D. Joseph, David E. Culler, Eric A. Brewer

 October 2002 **Mobile Networks and Applications**, Volume 7 Issue 5

Publisher: Kluwer Academic Publishers

 Full text available: [pdf\(340.33 KB\)](#)

 Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#), [review](#)

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

[Search Results](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "((server database send transmit data table client machine)<in>metadata)"

[e-mail](#)

Your search matched 0 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

[Search](#)☐ Check to search only within this results set

» Key

Display Format: ☒ Citation ☐ Citation & Abstract

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance.

Indexed by
 Inspec[Help](#) [Contact Us](#) [Privacy & Policy](#)

© Copyright 2006 IEEE –

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

[Search Results](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)Results for "'((server database send transmit table client machine)<in>metadata)'" [e-mail](#)

Your search matched 0 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance.

Indexed by

[Help](#) [Contact Us](#) [Privacy & :](#)

© Copyright 2006 IEEE -

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

[Search Results](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "((number column field data size exceed threshold)<in>metadata)"

[e-mail](#)

Your search matched 0 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

[Search](#)☐ Check to search only within this results set

» Key

Display Format: ☒ Citation ☐ Citation & Abstract

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance.


[Help](#) [Contact Us](#) [Privacy & :](#)

© Copyright 2006 IEEE -

Indexed by
 Inspec

[Sign in](#)

[Web](#)
[Images](#)
[Groups](#)
[News](#)
[Froogle](#)
[Local](#)
[more »](#)



[Advanced Search](#)
[Preferences](#)

Web Results 1 - 10 of about 4,390,000 for **number of columns that exceed threshold**. (0.42 seconds)

Book results for number of columns that exceed threshold



[Request-Prediction and Hyperlink-Proposals](#) - by Ernst-Georg Haffner - 166 pages

[International Conference on Computing and ...](#) - edited by George Antoniou, Dorothy Deremer - 600 pages

Find Local Maxima :: Blocks (Video and Image Processing Blockset)

The block outputs the zero-based row and **column** coordinates of the ... Scalar that represents the **number** of maxima that meet or **exceed** the **threshold** value ...

www.mathworks.com/access/helpdesk/help/toolbox/vipblks/findlocalmaxima.html - 12k -

[Cached](#) - [Similar pages](#)

Stanford Calibration Grid Detector

It is necessary to use the same unit of length for both. rows and cols are the **number** of rows and **columns** in the grid. **threshold** : (optional) ...

graphics.stanford.edu/software/findgrid/ - 11k - [Cached](#) - [Similar pages](#)

Estimating temporary space requirements

TUNE INDEX_TEMPSPACE_THRESHOLD, SET INDEX TEMPSPACE THRESHOLD,

Specifies size at which ... Never set QUERY_MEMORY_LIMIT to **exceed** this **number**. ...

publib.boulder.ibm.com/infocenter/rb63help/topic/com.ibm.redbrick.doc6.3/wag/wag42.htm

- 47k - [Cached](#) - [Similar pages](#)

Monitoring the Common Listener Service

The CommonListener entry for the Queued Records **column** using **threshold** ... The

number of queued transactions does not **exceed** the yellow **threshold** level. ...

publib.boulder.ibm.com/tividd/td/BSM/SC32-9085-00/en_US/HTML/bsma119.htm - 27k -

[Cached](#) - [Similar pages](#)

[[More results from publib.boulder.ibm.com](#)]

CMAXMIN TABLE

The third **column** is trigger **threshold** on the 64 ms timescale. It is the **number** of counts in 64 ms required to trigger the second most brightly illuminated ...

heasarc.gsfc.nasa.gov/docs/cgro/batse/BATSE_Ctlg/cmaxmin.html - 122k -

[Cached](#) - [Similar pages](#)

Teradata Magazine | Tech2Tech: Tech Support

The **threshold number** of seconds, how far a drop in priority they experience, ... Another point to consider: If there are a **number of columns** or indexes ...

www.teradata.com/t/page/133749/index.html - 46k - [Cached](#) - [Similar pages](#)

Server Studio - Advanced DBMS Tools for IBM Informix Servers

ovlock, **Number** of times the database server attempted to **exceed** the maximum ... IBM

Informix server performance parameters **exceed** user-defined **threshold** ...

www.serverstudio.com/products/sentinel/ - 37k - [Cached](#) - [Similar pages](#)

[PDF] - 1 - Guidelines for the preparation of working papers (monographs ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

as appropriate, is encouraged to reduce the **number of columns** or amount ... **Column 5** -

Step A3/B3- Title "Does intake **exceed** the **threshold** for human intake? ...

www.who.int/ipcs/food/jecfa/en/flavouring_agents.pdf - [Similar pages](#)

Image Sensor Lab - Imaging System for CMOS Image Sensors

... defined are pixels that **exceed** a user-defined percentage **threshold** above or ... The **number** of dead pixels, defective pixels, row defects, **column** defects ...
www.jovasolutions.com/isl/isl_soft_bayer_light.htm - 57k - [Cached](#) - [Similar pages](#)

Oracle tuning: Working with individual objects

It also allows you to define the blocksize and the **number** of rows you want ... LONG RAW **columns** make huge rows that **exceed** the maximum blocksize for Oracle, ...
www.dba-oracle.com/art_tuning_objects.htm - 75k - [Cached](#) - [Similar pages](#)

Try your search again on [Google Book Search](#)

Goooooooooooooogle ►
Result Page: 1 2 3 4 5 6 7 8 9 10 [Next](#)


Info when you want it, right on your desktop
Free! [Download Google Desktop](#)

Google	▼	☰
News	◀	▼
New lines of communication Financial Times 3 hrs ago		
Email	◀	▼
Lunch tomorrow? Mandy M Y <... 11 min ago		
61°F Clear - Mount	◀	▼
DJI 10434.87 -84	◀	▼
Type to search		
11:22 AM		

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

[Sign in](#)

Web Results 1 - 10 of about 217,000 for server transmits data table when number of columns exceed threshold

BizTalk Server 2004 Performance Characteristics

To control the **number** of threads per CPU processor that BizTalk **Server** uses to process ... **Table 2** Performance **data** from the request broker scenario ...

msdn.microsoft.com/library/en-us/bts_2004wp/html/04d20926-20d2-4098-b701-52238a267eba.asp?frame=true - 302k - [Cached](#) - [Similar pages](#)

BizTalk Server 2004 Performance Characteristics

As the **number** of items tracked and the amount of tracking **data** increases, ... specified by the HighSessionmark **threshold** is **exceeded**, BizTalk **Server** blocks ...

msdn.microsoft.com/.../library/en-us/bts_2004wp/html/04d20926-20d2-4098-b701-52238a267eba.asp - 101k - [Cached](#) - [Similar pages](#)

[doc] BizTalk Server 2004 Performance Characteristics

File Format: Microsoft Word - [View as HTML](#)

... specified by the HighSessionmark **threshold** is **exceeded**, BizTalk **Server** blocks ... The following **table** shows the performance **data** from the request broker ...

www.microsoft-sap.com/doc/BTS2004Performance.doc - [Similar pages](#)

[PS] OPTIMIZING VIDEO-ON-DEMAND THROUGH REQUESTCASTING By Julie ...

File Format: Adobe PostScript - [View as HTML](#)

... the **server** continuously **transmits** video **data** independent of client requests (Figure 2).

... Note that in such **table**, the **number** of rows is equal to b ...

www.cs.uwm.edu/~multimedia/pubs/pochueva-thesis.ps - [Similar pages](#)

Data communication using a modifiable number of XDSL modems ...

Table 200 may include any **number** of **columns** to represent any **number** of modems 50 in ... **Threshold** information 78 in **table 200** includes a **data** rate 218, ...

www.freepatentsonline.com/6483870.html - 75k - [Cached](#) - [Similar pages](#)

Rockwell Software - Answer Station

The **Data Table** Address is the starting address of the block you wish to **transmit** and the Size of Elements is the **number** of words or elements that you wish ...

www.software.rockwell.com/assistance/rssql/index.cfm?path=Support/FAQ - 52k -

[Cached](#) - [Similar pages](#)

[doc] Managing a Large Number of Servers by Exception

File Format: Microsoft Word 97 - [View as HTML](#)

Now that we have an easy method for displaying SAS **data** in an html **table** - how do we ...

2) If the metric doesn't **exceed threshold** (thresh=0), then no <font ...

www.demandtech.com/Resources/Case%20Studies/ Exploiting%20Web%20Publishing.doc

- [Similar pages](#)

EP1432207

... if it is decided that the burstiness does not **exceed** the **threshold** anymore ... If the client does not **transmit data** to the **server**, the information could ...

swpat.ffii.org/pikta/txt/ep/1432/207/ - 44k - [Cached](#) - [Similar pages](#)

IBM Globalization - Terminology

... that involves one or more **columns** in the **table**. generation **data** group (GDG) ... The

dimension of the array determines the maximum **number** of rows for ...
www-306.ibm.com/software/globalization/terminology/gh.html - 141k -
[Cached](#) - [Similar pages](#)

Cisco MDS 9000 Family Fabric Manager Configuration Guide, Release ...

If the statistics **exceed** either configured **threshold**, an event is shown on ... The timestamp, followed by the receive and **transmit data** rates in bytes per ...

www.cisco.com/en/US/products/ps5989/
products_configuration_guide_chapter09186a008040fb14.html - 78k -
[Cached](#) - [Similar pages](#)

Try your search again on [Google Book Search](#)

Goooooooooooooogle ►
Result Page: 1 [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

Info when you want it, right on your desktop
Free! [Download Google Desktop](#)

Google

News

New lines of communication
Financial Times 3 hrs ago

Email

Lunch tomorrow?
Mandy M Y <... 11 min ago

61°F Clear - Mount

DJI 10434.87 -84.

Type to search

11:22 AM

server transmits data table when nui

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

[Sign in](#)[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)

client receives data table when number of colu

Search:

[Advanced Search](#)
[Preferences](#)**Web** Results 1 - 10 of about 536,000 for client receives data table when number of columns exceed thresh

Estimating temporary space requirements

With **client** tools that require user input to **receive** more than a certain amount of **data**, the read locks remain on the **tables** until all of the results are ...

publib.boulder.ibm.com/infocenter/ rb63help/topic/com.ibm.redbrick.doc6.3/wag/wag42.htm
- 47k - [Cached](#) - [Similar pages](#)

Health Monitor Windows

... **receive data** from the host operating systems using SNA or IP networking. ... If the red or yellow **threshold** value is **exceeded**, the **column** status is red ...

publib.boulder.ibm.com/tividd/ td/BSM/SC32-9085-00/en_US/HTML/bsma118.htm - 24k -
[Cached](#) - [Similar pages](#)

[Chapter 10] 10.9 Working with PL/SQL Tables

Declare PL/SQL **tables** which will each **receive** the contents of a single **column**. ...

Exceeded threshold on undefined rows in **table**. SQL> start disptab 50 10 ...

www.unix.org.ua/orelly/oracle/prog2/ch10_09.htm - 68k - [Cached](#) - [Similar pages](#)

Glossary

... period of time or if a specified memory **threshold** is **exceeded**. ... Unlike an ordinary **table** whose **data** is stored as an unordered collection, **data** for an ...

www.oracle-10g.de/oracle_10g_documentation/ server.101/b10785/glossary.htm - 42k -
[Cached](#) - [Similar pages](#)

Site Status (SMS 2003 Operations Guide)

... every server component running at the site. **Table** 14.3 describes the **data** reported for each component. **Table** 14.3 Component Status Details Pane **Columns** ...

https://www.microsoft.com/technet/ prodtechnol/sms/sms2003/opsguide/ops_2j5e.mspx -
38k - [Cached](#) - [Similar pages](#)

Cisco Network Applications Manager (NAM) Release 4.5 Setup and ...

If the time displayed in the **column** is 10:15, for example, then the **data** ... The **number** of route responses to the routing **client** that **exceeded** the late ...

www.cisco.com/en/US/products/sw/custcosw/
ps1973/products_configuration_guide_chapter09186a008007eba2.html - 43k -
[Cached](#) - [Similar pages](#)

Quality of Service on Cisco Catalyst 6500 [Cisco Catalyst 6500 ...

... of **data** that the switch is willing to send or **receive** in Kbps. The policing ... The second **column** contains the queue (and **threshold** in that queue) to ...

www.cisco.com/en/US/products/hw/switches/
ps708/products_white_paper0900aecd803e5269.shtml - 101k - [Cached](#) - [Similar pages](#)

SQL Server Performance Guide for Data Warehousing

... a **table** into multiple **tables**, each containing the same **number of columns** but ... If five of the CPUs in the computer **exceed** the **threshold** of SQL Server ...

www.microsoft.com/technet/prodtechnol/ sql/2000/reskit/part5/c2061.mspx - 251k -
[Cached](#) - [Similar pages](#)

Gallery2:FAQ - Gallery Codex

Note: There's a known bug in the 2.0 release where if you import a large **number** of albums from Gallery 1, it can fail to optimize the permissions **table** ...
codex.gallery2.org/index.php/Gallery2:FAQ - 101k - [Cached](#) - [Similar pages](#)

[RightNow CRM 7.0.1 | RightNow Technologies](#)

Running kimport with the -r option now removes all **data** from all **tables** before ...
CF_NUM_COLS_OPP (which defines the **number of columns** used to display the ...
www.rightnow.com/support/history/7.0.1.html - 47k - [Cached](#) - [Similar pages](#)

[Google Groups results for client receives data table when number of columns exceed threshold](#)



[Sybase FAQ: 11/17 - section 10.1 - comp.databases.sybase - Jan 01, 1999](#)

[Sybase FAQ: 11/16 - section 10.1 - comp.databases.sybase - Jan 01, 1998](#)

Try your search again on [Google Book Search](#)

Goooooooooooooogle ►
Result Page: 1 2 3 4 5 6 7 8 9 10 [Next](#)

Info when you want it, right on your desktop
Free! [Download Google Desktop](#)

Google

News

New lines of communication
Financial Times 3 hrs ago

Email

Lunch tomorrow?
Mandy M Y <... 11 min ago

61°F Clear - Mount

DJI 10434.87 -84.

Type to search

11:22 AM

client receives data table when numl Search

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

[Sign in](#)[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)

server sends transmits data table number of fi

[Advanced Search](#)
[Preferences](#)**Web** Results 1 - 10 of about 341,000 for **server sends transmits data table number of fields exceed thresh**

BizTalk Server 2004 Performance Characteristics

To control the **number** of threads per CPU processor that BizTalk **Server** uses to process ... **Table 2 Performance data** from the request broker scenario ...
msdn.microsoft.com/library/en-us/bts_2004wp/html/04d20926-20d2-4098-b701-52238a267eba.asp?frame=true - 302k - [Cached](#) - [Similar pages](#)

BizTalk Server 2004 Performance Characteristics

As the **number** of items tracked and the amount of tracking **data** increases, ... The BizTalk **Server sends** a document to the **Transmit** folder for notification ...
msdn.microsoft.com/.../library/en-us/bts_2004wp/html/04d20926-20d2-4098-b701-52238a267eba.asp - 101k - [Cached](#) - [Similar pages](#)

RFC1986

Table 7: DATA and LDATA Message Types. Buffer **Number** The first buffer ... See M bit of reserved **field**. **Server sends** a RESPONSE with the agreed parameters. ...
www.scit.wlv.ac.uk/rfc/rfc19xx/RFC1986.html - 37k - [Cached](#) - [Similar pages](#)

[doc] BizTalk Server 2004 Performance Characteristics

File Format: Microsoft Word - [View as HTML](#)

The BizTalk **Server sends** a document to the **Transmit** folder for ... The following **table** shows the performance **data** from the request broker scenario. ...
www.microsoft-sap.com/doc/BTS2004Performance.doc - [Similar pages](#)

Appendix B: RFC 1458

The master distributes **transmit** tokens to **data** producers in the group, which allow **data** to ... When the **server sends** a packet with Q1 marked in the header, ...
www.savetz.com/mbone/apb.html - 50k - [Cached](#) - [Similar pages](#)

VPN 3000 Series Concentrator Reference Volume I: Configuration ...

DNS **Server(s)** — This **field** displays the IP addresses of up to three ... The FTP **server transmits** packets that when encapsulated would **exceed** the VPN ...
www.cisco.com/en/US/products/hw/vpndevc/ps2284/products_configuration_guide_chapter09186a00803ee11c.html - 81k - [Cached](#) - [Similar pages](#)

Internet Protocols (IP)

RARP relies on the presence of a RARP **server** with **table** entries of MAC-layer-to-IP ...
Data Offset—Indicates the **number** of 32-bit words in the TCP header. ...
www.cisco.com/univercd/cc/td/doc/cisintwk/ito_doc/ip.htm - 67k - [Cached](#) - [Similar pages](#)

Electrical Requirements for Blade Server BSC

CNSL_TXD, Console **Transmit Data**, South Bridge. CNSL_RXD, Console Receive **Data**, South Bridge. CNSL_CTS, Console Clear To **Send**, South Bridge ...
developers.sun.com/solaris/articles/blade_bsc_electrical.html - 48k - [Cached](#) - [Similar pages](#)

OpenVMS availability manager

Table 4-12 LAN VC Channel Selection Data (Pre-Version 2.0) ... TR DFQ Empty, **Number** of times the **transmit data**-free queue (DFQ) was empty. ...

<http://www.google.com/search?hl=en&lr=&q=server+sends+transmits+data+table+number...> 3/2/2006

[Sign in](#)[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)

server transmit data table to client computer m

[Advanced Search](#)
[Preferences](#)**Web Results 1 - 10** of about **341,000** for **server sends transmits data table number of fields exceed thresh**

BizTalk Server 2004 Performance Characteristics

To control the **number** of threads per CPU processor that BizTalk **Server** uses to process ... **Table 2 Performance data** from the request broker scenario ...
msdn.microsoft.com/library/en-us/bts_2004wp/html/04d20926-20d2-4098-b701-52238a267eba.asp?frame=true - 302k - [Cached](#) - [Similar pages](#)

BizTalk Server 2004 Performance Characteristics

As the **number** of items tracked and the amount of tracking **data** increases, ... The BizTalk **Server sends** a document to the **Transmit** folder for notification ...
msdn.microsoft.com/.../library/en-us/bts_2004wp/html/04d20926-20d2-4098-b701-52238a267eba.asp - 101k - [Cached](#) - [Similar pages](#)

RFC1986

Table 7: DATA and LDATA Message Types. Buffer Number The first buffer ... See M bit of reserved field. **Server sends** a RESPONSE with the agreed parameters. ...
www.scit.wlv.ac.uk/rfc/rfc19xx/RFC1986.html - 37k - [Cached](#) - [Similar pages](#)

[doc] BizTalk Server 2004 Performance Characteristics

File Format: Microsoft Word - [View as HTML](#)

The BizTalk **Server sends** a document to the **Transmit** folder for ... The following **table** shows the performance **data** from the request broker scenario. ...
www.microsoft-sap.com/doc/BTS2004Performance.doc - [Similar pages](#)

Appendix B: RFC 1458

The master distributes **transmit** tokens to **data** producers in the group, which allow **data** to ... When the **server sends** a packet with Q1 marked in the header, ...
www.savetz.com/mbone/apb.html - 50k - [Cached](#) - [Similar pages](#)

VPN 3000 Series Concentrator Reference Volume I: Configuration ...

DNS Server(s) — This field displays the IP addresses of up to three ... The FTP **server transmits** packets that when encapsulated would **exceed** the VPN ...
www.cisco.com/en/US/products/hw/vpndevc/ps2284/products_configuration_guide_chapter09186a00803ee11c.html - 81k - [Cached](#) - [Similar pages](#)

Internet Protocols (IP)

RARP relies on the presence of a RARP **server** with **table** entries of MAC-layer-to-IP ...
Data Offset—Indicates the **number** of 32-bit words in the TCP header. ...
www.cisco.com/univercd/cc/td/doc/cisintwk/ito_doc/ip.htm - 67k - [Cached](#) - [Similar pages](#)

Electrical Requirements for Blade Server BSC

CNSL_TXD, Console **Transmit Data**, South Bridge. CNSL_RXD, Console Receive **Data**, South Bridge. CNSL_CTS, Console Clear To **Send**, South Bridge ...
developers.sun.com/solaris/articles/blade_bsc_electrical.html - 48k - [Cached](#) - [Similar pages](#)

OpenVMS availability manager

Table 4-12 LAN VC Channel Selection Data (Pre-Version 2.0) ... TR DFQ Empty, **Number** of times the **transmit data**-free queue (DFQ) was empty. ...

h71000.www7.hp.com/openvms/ products/availman/6552pro_008.html - 43k -

[Cached](#) - [Similar pages](#)

Statseeker Online Help

The **data** is comma delimited with the first seven **fields** being: the year, ... The Utilization

Threshold Exceed pull down menu specifies the timeframe that a ...

[www.statseeker.com/Statseeker_2_8_0_Online_Help.html](#) - 101k - [Cached](#) - [Similar pages](#)

Google Groups results for **server sends transmits data table number of fields exceed threshold**



[rfc1374](#) - comp.doc - Aug 18, 1994

[Mrs. Miniver -- Greer Garson & Churchill](#) - alt.books.tom-clancy - Nov 29, 2005

[knowledge](#) - Gerenciamento de Redes Noturno ... - Aug 11, 2005

Try your search again on [Google Book Search](#)

Goooooooooooooogle ►
Result Page: 1 [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

Info when you want it, right on your desktop
Free! [Download Google Desktop](#)

Google

News

New lines of communication
Financial Times 3 hrs ago

Email

Lunch tomorrow?
Mandy M Y <... 11 min ago

61°F Clear - Mount

DJI 10434.87 -84.

Type to search

11:22 AM

server sends transmits data table nu

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

[Sign in](#)



[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)

server transmit data table disassemble rows in

[Advanced Search](#)
[Preferences](#)

Web Results 1 - 10 of about 32,400 for server transmit data table disassemble rows into column to client c

SANS Institute - Terms Used in Computer Security and Intrusion ...

An HTTP **server**, when sending **data** to a **client**, may send along a cookie, ... Secure Shell (SSH): A program to log **into** another **computer** over a network, ...
www.sans.org/resources/glossary.php - 101k - Feb 28, 2006 - [Cached](#) - [Similar pages](#)

BizTalk Server 2004 Performance Characteristics

Table 2 Performance **data** from the request broker scenario ... of tracking in BizTalk **Server** 2004, the testing involved one **client computer** and the following ...
msdn.microsoft.com/library/en-us/bts_2004wp/html/04d20926-20d2-4098-b701-52238a267eba.asp?frame=true - 302k - [Cached](#) - [Similar pages](#)

[DOC] BizTalk Server 2004 Performance Characteristics

File Format: Microsoft Word - [View as HTML](#)
The testing involved one **client computer**, one BizTalk **Server**, and one SQL **Server**. ...
The assumption is that a high number of **rows** in the **DataTable** are ...
www.microsoft-sap.com/doc/BTS2004Performance.doc - [Similar pages](#)

[RTF] A glossary of security terms sourced and collated from the Web ...

File Format: Rich Text Format - [View as HTML](#)
An Access Matrix uses **rows** to represent subjects and **columns** to represent ... **Data** exchanged between an HTTP **server** and a browser (a **client** of the **server**) ...
www.itgazette.com/downloads/feature/glossary_of_security_terms.rtf - [Similar pages](#)

[PDF] A glossary of security terms sourced and collated from the Web.

File Format: PDF/Adobe Acrobat - [View as HTML](#)
An Access Matrix uses **rows** to represent subjects and **columns** to ... **Data** exchanged between an HTTP **server** and a browser (a **client** of the **server**) to store ...
www.itgazette.com/downloads/feature/glossary_of_security_terms.pdf - [Similar pages](#)

[PS] RESEARCH ISSUES IN DISTRIBUTED OPERATING SYSTEMS Andrew S ...

File Format: Adobe PostScript - [View as HTML](#)
The name **server's data** base is built up by having services, processes, etc. that want ...
matrix in which each **column** is the pro-cess **table** for one **machine**. ...
www.cs.vu.nl/pub/papers/amoeba/hep85.ps.Z - [Similar pages](#)

Dictionary of Technology

... **data** appears to held in the form of **tables** divided into **rows** and **columns**. ... **Server**. A **computer** system which acts as a central store of **data** and with ...
www.cs.bris.ac.uk/Teaching/Resources/COMS11301/techno.html - 33k - [Cached](#) - [Similar pages](#)

The ObjectSharpees Speak

The production order **data** (**columns**) are separated by commas and each ... Eventually, the **rows** in this temp **table** will be inserted into a permanent **table**. ...
www.objectsharp.com/blogs/ - 101k - [Cached](#) - [Similar pages](#)

[PDF] CommNet Secure CommNet

File Format: PDF/Adobe Acrobat - [View as HTML](#)
that allows you to wait for and then **transmit** specific **data**. ... CommNet and Secure

CommNet can act both as a Telnet **client** and **server**. ...
www.radiant.com/scnet23.pdf - [Similar pages](#)

[PDF] [TimesTen Recommended Programming Practices \("Good Practices"\)](#)
File Format: PDF/Adobe Acrobat - [View as HTML](#)
machines to access the TimesTen database via **Client/Server**, but the overhead ... By
knowing the number of **rows** and **data** distributions of **column** values for a ...
www.oracle.com/technology/products/timesten/pdf/wp/timesten60_good_practices.pdf -
[Similar pages](#)

Try your search again on [Google Book Search](#)

Goooooooooooooogle ►
Result Page: 1 2 3 4 5 6 7 8 9 10 **Next**

Info when you want it, right on your desktop
Free! [Download Google Desktop](#)

Google

News

New lines of communication
Financial Times 3 hrs ago

Email

Lunch tomorrow?
Mandy M Y <... 11 min ago

61°F Clear - Mount

DJI 10434.87 -84.

Type to search

11:22 AM

server transmit data table disassembl Search

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

[Sign in](#)



[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)

server transmit data table disassemble rows in

Search

[Advanced Search](#)
[Preferences](#)

Web Results 1 - 10 of about 9,620 for server transmit data table disassemble rows into column to client cc

BizTalk Server 2004 Performance Characteristics

Table 2 Performance data from the request broker scenario ... of tracking in BizTalk Server 2004, the testing involved one **client computer** and the following ...
msdn.microsoft.com/library/en-us/bts_2004wp/html/04d20926-20d2-4098-b701-52238a267eba.asp?frame=true - 302k - [Cached](#) - [Similar pages](#)

[DOC] BizTalk Server 2004 Performance Characteristics

File Format: Microsoft Word - [View as HTML](#)

The testing involved one **client computer**, one BizTalk **Server**, and one SQL **Server**. ...
The assumption is that a high number of **rows** in the **DataTable** are ...
www.microsoft-sap.com/doc/BTS2004Performance.doc - [Similar pages](#)

[PDF] Advanced Server Manager (ASM) Pro Version 3.15 User's Guide

File Format: PDF/Adobe Acrobat

When the Temperature Critical **threshold** is **exceeded**, the ASM **Server Agent** ... between views, therefore **rows**. are turned into **columns** and vice ...
www.acersupport.com/library/asm315.pdf - [Similar pages](#)

[PDF] Advanced Server Manager Pro (ASM Pro) Version 3.11 User's Guide

File Format: PDF/Adobe Acrobat

when the **threshold** value for the **server** has been **exceeded**. Utilization ... between views, therefore **rows**. are turned into **columns** and vice ...
www.acersupport.com/library/asm311.pdf - [Similar pages](#)

[PDF] Acuity 4.0 User Guide Rev. E

File Format: PDF/Adobe Acrobat

If you intend to run the Acuity **client** and **server** on the same **computer**, the ... The display of **columns** in the **Data table** is highly configurable: ...
www.lsbi.mafes.msstate.edu/Acuity_4.0_User_Guide_Rev_E.pdf - [Similar pages](#)

Undefined Value: Kris Johnson's Blog: 07/01/2005 - 07/31/2005

My database has a **table** called "flights" that contains the **data** for each ... go deep into the **machine** where I can't really see them without **disassembly**. ...
kristopherjohnson.blogspot.com/2005_07_01_kristopherjohnson_archive.html - 110k - [Cached](#) - [Similar pages](#)

[PDF] TimesTen to TimesTen Replication Guide Release 6.0

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Step 4: Insert **data** into the replicated **table**. In the command prompt window, use ttlsq to connect to the master **data** store, and INSERT some **rows** into the ...
download-west.oracle.com/otn_hosted_doc/timesten/rlse601/replication.pdf - [Similar pages](#)

BizTalk Server 2004 Performance Characteristics

Six BizTalk **Server computers** for sending messages (**transmit**) ... The assumption is that a high number of **rows** in the **DataTable** are relevant to the rules. ...
blogs.dotmark.net/enf/archive/2005/08/21/976.aspx - 277k - [Cached](#) - [Similar pages](#)

Web Office

... which will appear on the **column's** bottom **rows**. **table** of contents ... For example,

suppose you want to connect into the VPSN™ server named ...

www.webofficenow.de/manual-iserver/index.html - 109k - [Cached](#) - [Similar pages](#)

[PDF] [Wonderware FactorySuite InTrack Deployment Guide](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

User applications reside on **client computers** and use **data** retrieved ... InTrack stores the name of the **data** collection **table** and its **column** names in the ...

www.astor.com.pl/www/Download/Centrum_techiczne/

[Wonderware/dokumentacja_en/InTrack/ITR_DG.pdf](#) - [Similar pages](#)

Try your search again on [Google Book Search](#)

Goooooooooooooogle ►
Result Page: 1 2 3 4 5 6 7 8 9 10 [Next](#)

Info when you want it, right on your desktop
Free! [Download Google Desktop](#)

Google

News

New lines of communication
Financial Times 3 hrs ago

Email

Lunch tomorrow?
Mandy M Y <... 11 min ago

61°F Clear - Mount

DJI 10434.87 -84.

Type to search

11:22 AM

server transmit data table disassemb Search

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

[Sign in](#)[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)

number of columns data field size exceeds thr

[Advanced Search](#)
[Preferences](#)**Web** Results 1 - 10 of about 1,870,000 for number of columns data field size exceeds threshold . (0.14 sec)[.com Solutions Inc. - Support - FileMaker to MySQL Migration FAQ](#)

7] Q: How can I implement a FileMaker Auto-enter Serial **number** field in MySQL? ... record of the FileMaker database **exceeds** an internal **threshold** level, ...
www.fmpromigrator.com/support/fmpro_migrator/filemaker_to_mysql_faq.html - 21k -
 Cached - [Similar pages](#)

[SOAP error messages](#)

17005: **Data** file geometry type is invalid. 17006: Feature geometry intersects itself. 17052: Feature array **size exceeds** limit. 17053: **Field** info array is ...
www2.arcwebservices.com/v2006/help/support/error.htm - 32k - [Cached](#) - [Similar pages](#)

[Compressed Data Structures for Data Warehouses](#)

The **data** "type" and **field size data** only provide a guide as to the rules to be ... This records at least the "Type" of **data** in the **field**, whether **number**, ...
www.island.net/~gordon/dwhcompr.htm - 23k - [Cached](#) - [Similar pages](#)

[Resampling Software for Analysis and Validation of Enumerative and ...](#)

The **number** of independent **field data** sets needed to run RVSP will depend on the ... The **data** set will not be executed if the sample **size exceeds** 90% of the ...
www.wcrl.ars.usda.gov/software/rvspman.html - 34k - [Cached](#) - [Similar pages](#)

[Application Security](#)

... when the amount of **data** falls below the minimum length or when it **exceeds** the ...
 These **fields** let you specify the **threshold** values for the total **number** ...
www.cisco.com/univercd/cc/td/doc/product/software/sdm/22ug/apfw.htm - 48k -
 Cached - [Similar pages](#)

[ISP Column - July 2004](#)

The **data** offset **field** indicates the **number** of four-octet words within the TCP header. ...
 when the average queue length **exceeds** configured **threshold** levels. ...
ispcolumn.isoc.org/2004-07/tcp1.html - 62k - [Cached](#) - [Similar pages](#)

[coral raw data collection - description](#)

Column Number, 1, 2, 3, 4, 5. Value, Protocol, Source/ Destination Port ... count **exceeds** the **threshold**, **fields** separated by tabs: port **number** ":" reference ...
traffic.caida.org/CoralReef/coralflowoutput.html - 19k - [Cached](#) - [Similar pages](#)

[Economics of Pest Control](#)

... trap catch **data** would greatly exaggerate the **size** of a local moth population. ... If the cumulative total of pests **exceeds** an upper **threshold** value, ...
www.cals.ncsu.edu/course/ent425/text18/economics.html - 17k - [Cached](#) - [Similar pages](#)

[eServer Magazine](#)

Divide the pool **size** by the total main storage and enter this **number** in the ... the maximum faults/second **field** defined in the last **column** in Figure 2. ...
www.the400resource.com/iseries/tips/index.asp?sid=11&id=1036&p=1 - 22k -
 Cached - [Similar pages](#)

[Integration Services Performance Tuning Techniques](#)



... manipulate **data** or create new **fields** using the **data** that is available in that row. ...

Because the anticipated **size exceeds** the DefaultMaxBufferSize, ...

www.microsoft.com/technet/prodtechnol/sql/2005/ssisperf.mspx - 73k -

[Cached](#) - [Similar pages](#)

Google Groups results for **number of columns data field size exceeds threshold**

-  [storing images to a database?](#) - microsoft.public.vb.general.di ... - Sep 24, 2001
 [Create Table gave me a max capacity error](#) - microsoft.public.sqlserver.pro ... - Jan 30, 2001
[v39i036: enh-du2 - enhanced du \(disk usage\) v2.0 ...](#) - comp.sources.misc - Aug 21, 1993

Try your search again on [Google Book Search](#)

Goooooooooooooogle ►
Result Page: 1 2 3 4 5 6 7 8 9 10 **Next**

Info when you want it, right on your desktop
Free! [Download Google Desktop](#)

Google

News

New lines of communication
Financial Times 3 hrs ago

Email

Lunch tomorrow?
Mandy M Y <... 11 min ago

61°F Clear - Mount

DJI 10434.87 -84

Type to search

11:22 AM

number of columns data field size exceeds threshold Search

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied?](#) [Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google